

---

# **CartoDB Platform Documentation Documentation**

*Release 1.0.0*

**CartoDB, Inc.**

**Apr 23, 2018**



---

# Contents

---

<b>1</b>	<b>CartoDB introduction</b>	<b>3</b>
1.1	What can I do with CartoDB? . . . . .	4
<b>2</b>	<b>Components</b>	<b>7</b>
2.1	PostgreSQL . . . . .	7
2.2	PostGIS . . . . .	7
2.3	Redis . . . . .	8
2.4	CartoDB PostgreSQL extension . . . . .	8
2.5	CartoDB Editor . . . . .	8
2.6	Maps API . . . . .	9
2.7	SQL API . . . . .	9
<b>3</b>	<b>Installation</b>	<b>11</b>
3.1	System requirements . . . . .	11
3.2	PostgreSQL . . . . .	12
3.3	GIS dependencies . . . . .	13
3.4	PostGIS . . . . .	13
3.5	Redis . . . . .	14
3.6	NodeJS . . . . .	14
3.7	SQL API . . . . .	15
3.8	MAPS API . . . . .	15
3.9	Ruby . . . . .	16
3.10	Editor . . . . .	16
<b>4</b>	<b>Running CartoDB</b>	<b>19</b>
4.1	First run, setting up an user . . . . .	19
4.2	Running all the processes . . . . .	19
<b>5</b>	<b>Configuration</b>	<b>21</b>
5.1	Basemaps . . . . .	21
5.2	Basemaps with a layer of labels . . . . .	22
5.3	Domainless URLs . . . . .	22
5.4	Configuration changes for Domainless URLs . . . . .	23
5.5	Limitations . . . . .	23
5.6	Common Data . . . . .	23
5.7	Separate folders . . . . .	24

<b>6</b>	<b>Operations</b>	<b>25</b>
6.1	Creating users . . . . .	25
6.2	Creating organizations . . . . .	25
6.3	Changing Feature Flags . . . . .	26
6.4	Changing limits . . . . .	29
6.5	Exporting/Importing visualizations . . . . .	30
6.6	Exporting/Importing full visualizations . . . . .	30
6.7	Running Sync Tables . . . . .	31
6.8	HTTP Header Authentication . . . . .	31
6.9	Configuring Dataservices . . . . .	32
<b>7</b>	<b>Indices and tables</b>	<b>35</b>

Contents:



# CHAPTER 1

---

## CartoDB introduction

---

CartoDB is an open source tool that allows for the storage and visualization of geospatial data on the web.

It was built to make it easier for people to tell their stories by providing them with flexible and intuitive ways to create maps and design geospatial applications. CartoDB can be installed on your own server and we also offer a hosted service at [carto.com](https://carto.com).

If you would like to see some live demos, check out our [videos](#) on Vimeo. We hope you like it!



## 1.1 What can I do with CartoDB?

With CartoDB, you can upload your geospatial data (Shapefiles, GeoJSON, etc) using a web form and then make it public or private.

After it is uploaded, you can visualize it in a table or on a map, search it using SQL, and apply map styles using CartoCSS. You can even access it using the [CartoDB API OVERVIEW](#) and [SQL API](#), or export it to a file.

In other words, with CartoDB you can make awesome maps and build powerful geospatial applications! Definitely check out the [CartoDB Develop](#) for interactive examples and code.





table\_50m\_urban\_area
options - VISUALIZE

DATA VIEW
MAP VIEW

cartodb_id - number	the_geom - geometry	featurecla - string	scalerank - number	created_at - date	updated_at - date
1	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
2	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
3	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
4	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
5	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
6	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
7	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
8	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
9	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
10	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
11	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
12	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
13	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
14	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z
15	Polygon	Urban Area	5	2014-08-28T07:27:33Z	2014-08-28T07:27:33Z

Add layer

table\_50m\_urban\_area

Custom SQL query
?

Ctrl + SPACE to autocomplete. CMD + S to apply your query.

```
1 SELECT * FROM table_50m_urban_area
```

Apply query



A common CartoDB stack is powered by those components:

### 2.1 PostgreSQL

PostgreSQL is the open source database powering CartoDB.

CartoDB uses PostgreSQL for two purposes:

- **Metadata storage.** This is the metadata used by the CartoDB editor. Editor models like users information, visualizations, or other metadata is stored in this database. The name and connection information of this database is specified on the Rails `app_config.yml` configuration file.
- **User data storage.** Each single user or organization in CartoDB has a individual PostgreSQL database. This database is created during the user signup process. Its database name and connection info is generated on the fly by the CartoDB application during this process. Both values are stored within the user info in the metadata database. Every user database name contains the user UUID.

Both metadata database and users databases can be hosted either in the same PostgreSQL cluster or different ones. Having both the in the same cluster is the recommended approach for small environments. The editor only knows how to connect to metadata database. However, within every request it checks the connection info of the user database which is stored in metadata database, as described before.

At this moment CartoDB requires PostgreSQL 9.5.x version.

### 2.2 PostGIS

PostGIS is the extension which adds spatial capabilities to PostgreSQL. It allows working with geospatial types or running geospatial functions in PostgreSQL. Is is required both on the user data clusters and the metadata cluster.

At this moment CartoDB requires PostGIS 2.2.x version.

## 2.3 Redis

Redis is a key-value store engine used by most components of the CartoDB application stack to store configuration and cache.

In contrast to the PostgreSQL metadata (which is used only by the CartoDB editor), the metadata stored in Redis is shared among the CartoDB editor, the SQL API, and the Maps API.

---

**Important:** Even though also used as a cache, there is also persistent data stored in Redis. In some environments Redis is configured by default to act without persistency (see <http://redis.io/topics/persistence>).

You must ensure Redis is configured properly to keep its data between restarts.

---

### Data is stored in separate databases inside this Redis:

- Database 0: Table and visualization metadata, including map styles and named maps.
- Database 3: OAuth credentials metadata.
- Database 5: Metadata about the users, including API keys and database\_hosts.

At this moment CartoDB requires redis 3.x version.

## 2.4 CartoDB PostgreSQL extension

The CartoDB PostgreSQL extension can be found at <https://github.com/CartoDB/cartodb-postgresql>.

This extensions is required by all the components of CartoDB and it must be installed in the server where user databases are stored.

It provides functions and other helpers needed by the Editor, Maps and SQL APIs like:

- CartoDBfying functions which convert raw PostgreSQL tables in tables recognized by CartoDB by adding some additional columns and triggers
- Multiuser schema handling functions
- Quota helpers
- Cache helpers
- etc..

The CartoDB extension depends on *PostGIS*.

## 2.5 CartoDB Editor

The editor is the web management component of CartoDB. Within the editor you can find all the features available in CartoDB. These are some of the most significant tasks you can do with the editor:

- User management. Credentials, authorization, personal info and billing.
- Connect datasets to your CartoDB account either by importing your datasets or other ones publicly available.
- Create maps from your datasets
- Publishing and permissions management of datasets and maps

- Synchronized tables management

Internally the editor is the operations core of CartoDB. It manages PostgreSQL metadata database, keep some metadata in sync with Redis, manages new datasets import queues with resque, etc..

It is developed in Ruby on Rails and like the other components of CartoDB is Open Source and you can find the source code at [CartoDB/cartodb](#)

You can find usage documentation at <https://docs.carto.com/cartodb-editor.html>

Although you can checkout any branch of the repository most of them are usually work in progress that is not guaranteed to work. In order to run a production ready Editor service you need to use **master** branch.

## 2.5.1 Service modes

The code of CartoDB editor needs to run in two different modes. HTTP server mode and background jobs mode.

The **HTTP server** processes the http requests sent to the service and returns a response synchronously. Any ruby rack server can be used to start the editor in this mode. Some examples of rack servers are mongrel, webrick, thin or unicorn.

The **background jobs** mode is started with [resque](#). In this mode the service keep polling some redis keys in order to find pending background jobs. When it finds one, it processes it and change the state of the job in redis. CartoDB uses this mode for different type of jobs like datasets imports or synchronized tables.

## 2.6 Maps API

The Maps API provides a node.js based API that allows you to generate maps based on data hosted in your CartoDB account by applying custom SQL and CartoCSS to the data

Like the other components of CartoDB is Open Source and you can find the source code at [CartoDB/Windshaft-cartodb](#)

You can find usage documentation at <https://docs.carto.com/cartodb-platform/maps-api.html>

Although you can checkout any branch of the repository most of them are usually work in progress that is not guaranteed to work. In order to run a production ready Maps API service you need to use **master** branch.

## 2.7 SQL API

The SQL API provides a node.js based API for running SQL queries against CartoDB.

Like the other components of CartoDB is Open Source and you can find the source code at [CartoDB/CartoDB-SQL-API](#)

You can find usage documentation at <https://docs.carto.com/cartodb-platform/sql-api.html>.

Although you can checkout any branch of the repository most of them are usually work in progress that is not guaranteed to work. In order to run a production ready SQL API service you need to use **master** branch.



**Warning:** CartoDB works with Ubuntu 16.04 x64. This documentation describes the process to install CartoDB in this specific OS version.

However this doesn't mean that it won't work with other Operating Systems or other Ubuntu. There are also many successful installations on Amazon EC2, Linode, dedicated instances and development machines running OS X and Ubuntu 12.04+.

## 3.1 System requirements

Besides the OS version mentioned in the introduction, there are some system requirements needed before starting with the installation of the stack. Also this process assumes that you have enough permissions in the system to run successfully most part of the commands of this doc.

### 3.1.1 System locales

Installations assume you use UTF8. You can set the locale by doing this:

```
sudo locale-gen en_US.UTF-8
sudo update-locale LANG=en_US.UTF-8 LC_ALL=en_US.UTF-8
```

### 3.1.2 APT tools

In order to easily install some packages repositories sources is suggested to install this tool:

```
sudo apt-get install python-software-properties
```

### 3.1.3 Build essentials

Although we try to maintain packaged versions of almost every part of the stack, there are some parts like gems or npm packages that need some development tools in the system in order to compile. You can install all the needed build tools by doing this:

```
sudo apt-get install autoconf binutils-doc bison build-essential flex
```

You will also need to install GCC 4.9 in order to build some Node modules later. You can install it doing this:

```
sudo add-apt-repository ppa:cartodb/gcc && sudo apt-get update
sudo apt-get install gcc-4.9 g++-4.9
export CC=/usr/bin/gcc-4.9
export CXX=/usr/bin/g++-4.9
```

### 3.1.4 GIT

You will need git commands in order to handle some repositories and install some dependencies:

```
sudo apt-get install git
```

## 3.2 PostgreSQL

- Add PPA repository

```
sudo add-apt-repository ppa:cartodb/postgresql-9.5 && sudo apt-get update
```

- Install client packages

```
sudo apt-get install libpq5 \
    libpq-dev \
    postgresql-client-9.5 \
    postgresql-client-common
```

- Install server packages

```
sudo apt-get install postgresql-9.5 \
    postgresql-contrib-9.5 \
    postgresql-server-dev-9.5 \
    postgresql-plpython-9.5
```

PostgreSQL access authorization is managed through `pg_hba.conf` configuration file, which is normally in `/etc/postgresql/9.5/main/pg_hba.conf`. Here it's defined how the users created in postgresql cluster can access the server. This involves several aspects like type of authentication (md5, no password, etc..) or source IP of the connection. In order to simplify the process of the installation we are going to allow connections with postgres user from localhost without authentication. Of course this can be configured in a different way at any moment but changes here should imply changes in database access configuration of CartoDB apps.

This is the `pg_hba.conf` with the no password access from localhost:

```
local all postgres trust
local all all trust
host all all 127.0.0.1/32 trust
```



For these changes to take effect, you'll need to restart postgres:

```
sudo service postgresql restart
```

- Create some users in PostgreSQL. These users are used by some CartoDB apps internally

```
sudo createuser publicuser --no-createrole --no-createdb --no-superuser -U ↵
↳ postgres
sudo createuser tileuser --no-createrole --no-createdb --no-superuser -U postgres
```

- Install CartoDB postgresql extension. This extension contains functions that are used by different parts of the CartoDB platform, included the Editor and the SQL and Maps API.

```
git clone https://github.com/CartoDB/cartodb-postgresql.git
cd cartodb-postgresql
git checkout <LATEST cartodb-postgresql tag>
sudo make all install
```

### 3.3 GIS dependencies

- Add GIS PPA

```
sudo add-apt-repository ppa:cartodb/gis && sudo apt-get update
```

- Install Proj

```
sudo apt-get install proj proj-bin proj-data libproj-dev
```

- Install JSON

```
sudo apt-get install libjson0 libjson0-dev python-simplejson
```

- Install GEOS

```
sudo apt-get install libgeos-c1v5 libgeos-dev
```

- Install GDAL

```
sudo apt-get install gdal-bin libgdal-dev libgdal-dev
sudo apt-get install gdal2.1-static-bin
```

### 3.4 PostGIS

- Install PostGIS

```
sudo apt-get install libxml2-dev
sudo apt-get install liblwgeom-2.2.2 postgis postgresql-9.5-postgis-2.2 ↵
↳ postgresql-9.5-postgis-scripts
```

- Initialize template postgis database. We create a template database in postgresql that will contain the postgis extension. This way, every time CartoDB creates a new user database it just clones this template database

```
sudo createdb -T template0 -O postgres -U postgres -E UTF8 template_postgis
sudo createlang plpgsql -U postgres -d template_postgis
psql -U postgres template_postgis -c 'CREATE EXTENSION postgis;CREATE EXTENSION_
↳postgis_topology;'
sudo ldconfig
```

- Run an installcheck to verify the database has been installed properly

```
sudo PGUSER=postgres make installcheck # to run tests
```

Check <https://github.com/cartodb/cartodb-postgresql> for further reference

- Restart PostgreSQL after all this process

```
sudo service postgresql restart
```

## 3.5 Redis

Redis 3+ is needed.

- Add redis PPA

```
sudo add-apt-repository ppa:cartodb/redis && sudo apt-get update
```

- Install redis

```
sudo apt-get install redis-server
```

**Warning:** By default redis server is configured to not have any type of disk persistence. If stopped or restarted everything stored in redis will be lost. In CartoDB redis is not just a simple cache storage. It stores information that need to be persisted.

Make sure to have proper values of *save*, *appendonly* and *appendfsync* config attributes. For more information check <http://redis.io/topics/persistence>

## 3.6 NodeJS

NodeJS is required by different parts of the stack. The more significant are the Maps and SQL APIs. It's also used to install and execute some dependencies of the editor.

- Add the PPA

```
sudo add-apt-repository ppa:cartodb/nodejs && sudo apt-get update
```

- Install NodeJS

```
sudo apt-get install nodejs
```

Note this should install both NodeJS 6.9.2 and npm 3.10.9. You can verify the installation went as expected with:

```
nodejs -v  
npm -v
```

If npm version is wrong you should update it:

```
npm install npm@3.10.9 -g
```

We will also install some development libraries that will be necessary to build some Node modules:

```
sudo apt-get install libpixmap-1-0 libpixmap-1-dev  
sudo apt-get install libcairo2-dev libjpeg-dev libgif-dev libpango1.0-dev
```

## 3.7 SQL API

- Download API

```
git clone git://github.com/CartoDB/CartoDB-SQL-API.git  
cd CartoDB-SQL-API  
git checkout master
```

- Install npm dependencies

```
npm install
```

- Create configuration. The name of the filename of the configuration must be the same than the environment you are going to use to start the service. Let's assume it's development.

```
cp config/environments/development.js.example config/environments/development.js
```

- Start the service. The second parameter is always the environment if the service. Remember to use the same you used in the configuration.

```
node app.js development
```

## 3.8 MAPS API

- Download API

```
git clone git://github.com/CartoDB/Windshaft-cartodb.git  
cd Windshaft-cartodb  
git checkout master
```

- Install npm dependencies

```
npm install
```

- Create configuration. The name of the filename of the configuration must be the same than the environment you are going to use to start the service. Let's assume it's development.

```
cp config/environments/development.js.example config/environments/development.js
```

- Start the service. The second parameter is always the environment of the service. Remember to use the same you used in the configuration.

```
node app.js development
```

### 3.9 Ruby

- Download ruby-install. Ruby-install is a script that makes ruby install easier. It's not needed to get ruby installed but it helps in the process.

```
wget -O ruby-install-0.5.0.tar.gz https://github.com/postmodern/ruby-install/  
→archive/v0.5.0.tar.gz  
tar -xzf ruby-install-0.5.0.tar.gz  
cd ruby-install-0.5.0/  
sudo make install
```

- Install some ruby dependencies

```
sudo apt-get install libreadline6-dev openssl
```

- Install ruby 2.2.3. CartoDB has been deeply tested with Ruby 2.2.

```
sudo ruby-install ruby 2.2.3
```

- Ruby-install will leave everything in /opt/rubies/ruby-2.2.3/bin. To be able to run ruby and gem later on, you'll need to add the Ruby 2.2.3 bin folder to your PATH variable. It's also a good idea to include this line in your bashrc so that it gets loaded on restart

```
export PATH=/opt/rubies/ruby-2.2.3/bin:$PATH
```

- Install bundler. Bundler is an app used to manage ruby dependencies. It is needed by CartoDB's editor

```
sudo gem install bundler
```

- Install compass. It will be needed later on by CartoDB's editor

```
sudo gem install compass
```

### 3.10 Editor

- Download the editor code

```
git clone --recursive https://github.com/CartoDB/cartodb.git  
cd cartodb
```

- Install pip

```
sudo wget -O /tmp/get-pip.py https://bootstrap.pypa.io/get-pip.py  
sudo python /tmp/get-pip.py
```

- Install a necessary package for python dependencies

```
sudo apt-get install python-all-dev
```

- Install dependencies

```
sudo apt-get install imagemagick unq zip
RAILS_ENV=development bundle install
npm install
sudo pip install --no-use-wheel -r python_requirements.txt
```

**Warning:** If this fails due to the installation of the gdal package not finding Python.h or any other header file, you'll need to do this:

```
export CPLUS_INCLUDE_PATH=/usr/include/gdal
export C_INCLUDE_PATH=/usr/include/gdal
export PATH=$PATH:/usr/include/gdal
```

After this, re-run the pip install command. Variables can be passed to sudo if exporting them and re-running pip install doesn't work:

```
sudo CPLUS_INCLUDE_PATH=/usr/include/gdal C_INCLUDE_PATH=/usr/include/gdal PATH=
↪$PATH:/usr/include/gdal pip install --no-use-wheel -r python_requirements.txt
```

If gdal keeps failing, see more information here: <http://gis.stackexchange.com/questions/28966/python-gdal-package-missing-header-file-when-installing-via-pip>

- Add the grunt command to the PATH

```
export PATH=$PATH:$PWD/node_modules/grunt-cli/bin
```

- Install all necessary gems

```
bundle install
```

- Precompile assets. Note that the last parameter is the environment used to run the application. It must be the same used in the Maps and SQL APIs

```
bundle exec grunt --environment=development
```

- Create configuration files

```
cp config/app_config.yml.sample config/app_config.yml
cp config/database.yml.sample config/database.yml
```

- Initialize the metadata database

```
RAILS_ENV=development bundle exec rake db:create
RAILS_ENV=development bundle exec rake db:migrate
```

- Start the redis-server that allows access to the SQL and Maps APIs:

```
redis-server &
```

- Start the editor HTTP server

```
RAILS_ENV=development bundle exec rails server
```

- In a different process/console start the resque process

```
RAILS_ENV=development bundle exec ./script/resque
```

---

## Running CartoDB

---

### 4.1 First run, setting up an user

First run, setting up first time to run your development version of CartoDB. Let's suppose that we are going to create a development env and that our user/subdomain is going to be 'development'

```
cd cartoDB
export SUBDOMAIN=development

# Add entries to /etc/hosts needed in development
echo "127.0.0.1 ${SUBDOMAIN}.localhost.lan" | sudo tee -a /etc/hosts

# Create a development user
sh script/create_dev_user
```

### 4.2 Running all the processes

Start the resque daemon (needed for import jobs):

```
bundle exec script/resque
```

Finally, start the CartoDB development server on port 3000:

```
bundle exec thin start --threaded -p 3000 --threadpool-size 5
```

Node apps

```
cd cartoDB-sql-api && node app.js
cd windshaft-cartoDB && node app.js
```

You should now be able to access '<http://<mysubdomain>.localhost.lan:3000>' in your browser and login with the password specified above.

Enjoy



In this section you can find some helpful configuration examples related with **Basemaps**, **Domainles Urls** and **Common-data**.

## 5.1 Basemaps

The way to add/change the basemaps available in CartoDB is changing the `config/app_config.yml`. Basically you need to add a new entry called `basemaps`, that entry can have different sections and each section one or more basemaps.

Each section corresponds to row in CartoDB basemap dialog. If the `basemaps` entry is not present a set of default basemaps will be used (CartoDB and Stamen ones, check the default basemaps file [https://github.com/CartoDB/cartodb/blob/master/lib/assets/javascripts/cartodb/table/default\\_layers.js](https://github.com/CartoDB/cartodb/blob/master/lib/assets/javascripts/cartodb/table/default_layers.js))

Also, it's always necessary to have a default basemap among all the configured ones in the `app_config.yml`. The way to set a basemap as default a "default" attribute needs to be added to the basemap. There can be several basemaps in the config with the attribute default set, however, only the first one found in the same order than in the `app_config` will be used as default.

Here is an example `config.yml`:

```
basemaps:
  CartoDB:
    positron_rainbow:
      default: true # Ident with spaces not with tab
      url: 'http://{s}.basemaps.cartocdn.com/light_all/{z}/{x}/{y}.png'
      subdomains: 'abcd'
      minZoom: '0'
      maxZoom: '18'
      name: 'Positron'
      className: 'positron_rainbow'
      attribution: '@ <a href="http://www.openstreetmap.org/copyright">OpenStreetMap
      ↩</a> contributors © <a href="https://carto.com/attributions">CARTO</a>'
      dark_matter_rainbow:
        url: 'http://{s}.basemaps.cartocdn.com/dark_all/{z}/{x}/{y}.png'
```

```

    subdomains: 'abcd'
    minZoom: '0'
    maxZoom: '18'
    name: 'Dark matter'
    className: 'dark_matter_rainbow'
    attribution: '@ <a href="http://www.openstreetmap.org/copyright">OpenStreetMap
↪</a> contributors © <a href="https://carto.com/attributions">CARTO</a>'
positron_lite_rainbow:
    url: 'http://{s}.basemaps.cartocdn.com/light_nolabels/{z}/{x}/{y}.png'
    subdomains: 'abcd'
    minZoom: '0'
    maxZoom: '18'
    name: 'Positron (lite)'
    className: 'positron_lite_rainbow'
    attribution: '@ <a href="http://www.openstreetmap.org/copyright">OpenStreetMap
↪</a> contributors © <a href="https://carto.com/attributions">CARTO</a>'

stamen:
  toner_stamen:
    url: 'https://stamen-tiles-{s}.a.ssl.fastly.net/toner/{z}/{x}/{y}.png'
    subdomains: 'abcd'
    minZoom: '0'
    maxZoom: '18'
    name: 'Toner'
    className: 'toner_stamen'
    attribution: 'Map tiles by <a href="http://stamen.com">Stamen Design</a>, ↪
↪under <a href="http://creativecommons.org/licenses/by/3.0">CC BY 3.0</a>. Data by
↪<a href="http://openstreetmap.org">OpenStreetMap</a>, under <a href="http://www.
↪openstreetmap.org/copyright">ODbL</a>.'

```

## 5.2 Basemaps with a layer of labels

Basemaps can optionally add a layer with labels on top of other layers. To do so, you should add the labels key to the basemap config, as follows:

```

positron_rainbow:
  default: true
  url: 'http://{s}.basemaps.cartocdn.com/light_all/{z}/{x}/{y}.png'
  subdomains: 'abcd'
  minZoom: '0'
  maxZoom: '18'
  name: 'Positron'
  className: 'positron_rainbow'
  attribution: '@ <a href="http://www.openstreetmap.org/copyright">OpenStreetMap</a> ↪
↪contributors © <a href="https://carto.com/attributions">CARTO</a>'
  labels:
    url: 'http://{s}.basemaps.cartocdn.com/light_only_labels/{z}/{x}/{y}.png'

```

## 5.3 Domainless URLs

Historically, CartoDB URLs were based on a `username.carto.com/PATH` schema. When Multiuser accounts were introduced, an alternate schema `organizationname.carto.com/u/username/PATH` was built along-

side the “classic” one. Both schemas introduce some problems for opensource and/or custom installs of the platform, as they require DNS changes each time a new user or organization is added.

Subdomainless urls are the answer to this problems. Modifying some configuration settings, any CartoDB installation can be setup to work with a new schema, `carto.com/user/username/PATH`.

The following sections details the steps to make it work and the limitations it has.

## 5.4 Configuration changes for Domainless URLs

- For a default installation, `app_config.yml` contains this relevant values:

```
session_domain:      '.localhost.lan'
subdomainless_urls: false
```

- To activate subdomainless urls, change to (notice the removed starting dot from `session_domain`):

```
session_domain:      'localhost.lan'
subdomainless_urls: true
```

- Non-default HTTP and HTTPS ports can also be configured here for REST API calls, with the following `app_config.yml` attributes:

```
# nil/integer. HTTP port to use when building urls.
# Leave empty to use default (80)
http_port:
# nil/integer. HTTPS port to use when building urls.
# Leave empty to use default (443)
https_port:
```

Remember that as with other configuration changes, Rails application must be restarted to apply them.

## 5.5 Limitations

If you leave the dot at `session_domain` having subdomainless urls, you will be forced to always have a subdomain. Any will do, but must be present. If you remove the dot it will work as intended without any subdomain.

When subdomainless urls are used, organizations will be ignored from the urls. In fact, typing `whatever.carto.com/user/user1` and `carto.com/user/user1` is the same. The platform will replicate the sent subdomain fragment to avoid CORS errors but no existing organization checks will be performed. You should be able to use them, assign quota to the organization users, etc.

## 5.6 Common Data

This service uses the visualizations API to retrieve all the public datasets from a defined user and serve them as importable datasets to all the users of the platform through the data library options.

All can be configured through the `common_data` settings section. If the `base_url` option is set, this will be the base url the service is going to use to build the URL to retrieve datasets. For example:

```
common_data:
  protocol: 'https'
  username: 'common-data'
  base_url: 'https://common-data.carto.com'
  format: 'shp'
```

Use `https://common-data.carto.com` as the base url to retrieve all the public datasets from that user.

This is the default behaviour in CartoDB, but if you want to use your own system and user for this purpose you have to define the `username` property pointing to the user that will provide the datasets in your own instance. The URL in this case is going to be built using your instance base url. For example if your instance base url is `http://www.example.com` and the config is:

```
common_data:
  protocol: 'https'
  username: 'common-data-user'
  format: 'shp'
```

the system populates the data library with the public datasets from `http://common-data-user.example.com...`

The `format` option is used to define the format of the file generated when you are importing one datasets from the data library. When you import a dataset it uses a stored URL to download that dataset as a file, in the format defined in the config, and import as your own dataset.

## 5.7 Separate folders

Default installation keeps logs, configuration files and assets under the standard Rails folder structure: `/log`, `/config` and `/public` at Rails root (your installation directory). Some installations might be interested in moving those directories outside Rails root in order to separate code and data. You can accomplish that with symbolic links. Nevertheless, there are three environment variables that you can use instead:

- `RAILS_LOG_BASE_PATH`: for example, setting it to `/var/carto` will use that as a base folder for log files, which will be stored at `/var/carto/log`. Defaults to `Rails.root`.
- `RAILS_CONFIG_BASE_PATH`: for example, setting it to `/etc/carto` will make Rails open the application and database configuration files at `/etc/carto/conf/app_config.yml` and `/etc/carto/conf/database.yml`. Defaults to `Rails.root`.
- `RAILS_PUBLIC_UPLOADS_PATH`: sets assets base path, both static and dynamic. For example, setting it to `/var/carto/assets` will upload files (markers, avatars and so on) to `/var/carto/assets/uploads`, but it also makes Rails server to load public assets (CSSs, JS...) from there. Defaults to `app_config[:importer]["uploads_path"]` or `Rails.root` if it's not present (due to backwards compatibility). If you use this variable you'll need to do one of the following:
  - Use nginx to load the assets (recommended): making `/public` the nginx default root will make nginx use the proper folders for assets, without requesting them to the Rails server: `root /opt/carto/builder/embedded/cartodb/public;`
  - Copy or link assets (from `/<RAILS_ROOT>/public`) to public upload path folder.

Certain operations in the CartoDB platform can be done using rake tasks or scripts that bundle several of them together. In this section you will instructions to carry out various common operations.

Common operations in CartoDB include:

### 6.1 Creating users

Creating users in CartoDB is simple thanks to the `create_dev_user` script located in `scripts/create_dev_user`. To execute this script, be sure to be located at the `cartodb` repository root directory and simply run:

```
$ ./script/create_dev_user
```

You will be prompted to input two parameters:

- **subdomain** is the same as the user's user name. This is what you will enter in the browser to access the user's dashboard: `https://<user_name>.carto.com`. Set it to whatever you want the user's user name to be.
- **password** this is the password the new user will use to login into their account.

Upon script completion, the new user will have been created.

### 6.2 Creating organizations

To create a new organization, a rake task called `create_new_organization_with_owner` is used. For this task to work properly, a user **created beforehand** must be provided as an owner (if you're not sure how to create a user, refer to "Creating Users").

In order to create the organization, 4 parameters must be set:

- `ORGANIZATION_NAME` is a short nickname for the organization, that may only contain letters, numbers and dash (-) characters. For example, 'cartodb' would be OK.

- `ORGANIZATION_DISPLAY_NAME` is a longer, more beautiful name for the organization. It may contain any characters needed. For example, 'CartoDB Inc.'
- `ORGANIZATION_SEATS` is the number of users that will be able to be created under the organization. For example, 5 seats will mean that a maximum of 5 users can belong to the organization.
- `ORGANIZATION_QUOTA` is the space quota in **bytes** that the organization is assigned. For example,  $1024 * 1024 * 1024$  is 1GB of quota.
- `USERNAME` is the user name of the owner of the organization. In our example, let's assume that our user name is 'manolo'.

This task is executed like:

```
$ bundle exec rake carto:db:create_new_organization_with_owner ORGANIZATION_NAME="  
↳<org_name>" ORGANIZATION_DISPLAY_NAME="<org_display_name>" ORGANIZATION_SEATS="<org_  
↳seats>" ORGANIZATION_QUOTA="<org_quota>" USERNAME="<username>"
```

and an example execution for creating an organization owned by 'manolo', named 'CartoDB Inc.', referred to as 'cartodb', with 5 seats and a 1GB quota, would be:

```
$ bundle exec rake carto:db:create_new_organization_with_owner ORGANIZATION_NAME=  
↳"cartodb" ORGANIZATION_DISPLAY_NAME="CartoDB Inc." ORGANIZATION_SEATS="5"  
↳ORGANIZATION_QUOTA="1073741824" USERNAME="manolo"
```

### 6.2.1 Seats

You can change the viewer seats:

```
$ bundle exec rake carto:db:set_organization_viewer_seats["<org_name>", "<viewer_  
↳seats>"]
```

## 6.3 Changing Feature Flags

CartoDB uses feature flags, so different users can have access to different features of CartoDB. If you would like to enable or disable feature flags to one or all users or to a given organization, you can use the rake tasks described in this section. Feature flag creation and deletion are also covered.

### 6.3.1 Enabling a feature for all users

Enabling a feature for all users is done with a rake task called `enable_feature_for_all_users` and it takes one parameter.

- `feature_flag_name` is the name of the feature flag to be enabled. For example: 'special\_dashboard'.

This task is executed like:

```
$ bundle exec rake carto:features:enable_feature_for_all_users[<feature_flag_name>]
```

And an example to enable the 'special\_dashboard' feature could be:

```
$ bundle exec rake carto:features:enable_feature_for_all_users["special_dashboard"]
```

### 6.3.2 Enabling a feature for a given user

Enabling a feature for a given user is done with a rake task called `enable_feature_for_user` and it takes two parameters.

- `feature_flag_name` is the name of the feature flag to be enabled. For example: `'special_dashboard'`.
- `user_name` is the user name of the user to whom the feature flag is to be enabled. For example: `'manolo'`.

This task is executed like:

```
$ bundle exec rake cartodb:features:enable_feature_for_user[<feature_flag_name>,<user_
↳name>]
```

**Warning:** Please be very careful **NOT** to leave a space between parameters, as it will cause rake to spit a don't know how to build task type error.

And an example to enable the `'special_dashboard'` feature for user with user name `'manolo'` could be:

```
$ bundle exec rake cartodb:features:enable_feature_for_user["special_dashboard",
↳"manolo"]
```

### 6.3.3 Enabling a feature for a given organization

Enabling a feature for a given organization is done with a rake task called `enable_feature_for_organization` and it takes two parameters.

- `feature_flag_name` is the name of the feature flag to be enabled. For example: `'special_dashboard'`.
- `organization_name` is the internal name (`'cartodb'` vs `'CartoDB Inc.'`) to which the feature flag is to be enabled. For example: `'cartodb'`.

This task is executed like:

```
$ bundle exec rake cartodb:features:enable_feature_for_organization[<feature_flag_
↳name>,<organization_name` `
```

**Warning:** Please be very careful **NOT** to leave a space between parameters, as it will cause rake to spit a don't know how to build task type error.

And an example to enable the `'special_dashboard'` feature for organization `'cartodb'` could be:

```
$ bundle exec rake cartodb:features:enable_feature_for_organization["special_dashboard
↳","cartodb"]
```

### 6.3.4 Disabling a feature for all users

Disabling a feature for all users is done with a rake task called `disable_feature_for_all_users` and it takes one parameter.

- `feature_flag_name` is the name of the feature flag to be disabled. For example: `'special_dashboard'`.

This task is executed like:

```
$ bundle exec rake cartodb:features:disable_feature_for_all_users[<feature_flag_name>]
```

And an example to disable the ‘special\_dashboard’ feature could be:

```
$ bundle exec rake cartodb:features:disable_feature_for_all_users["special_dashboard"]
```

### 6.3.5 Disabling a feature for a given user

Disabling a feature for a given user is done with a rake task called `disable_feature_for_user` and it takes two parameters.

- `feature_flag_name` is the name of the feature flag to be disabled. For example: ‘special\_dashboard’.
- `user_name` is the user name of the user to whom the feature flag is to be disabled. For example: ‘manolo’.

This task is executed like:

```
$ bundle exec rake cartodb:features:disable_feature_for_user[<feature_flag_name>,  
↪<user_name>]
```

**Warning:** Please be very careful **NOT** to leave a space between parameters, as it will cause rake to spit a don't know how to build task type error.

And an example to disable the ‘special\_dashboard’ feature for user with user name ‘manolo’ could be:

```
$ bundle exec rake cartodb:features:disable_feature_for_user["special_dashboard",  
↪"manolo"]
```

### 6.3.6 Disabling a feature for a given organization

Disabling a feature for a given organization is done with a rake task called `disable_feature_for_organization` and it takes two parameters.

- `feature_flag_name` is the name of the feature flag to be disabled. For example: ‘special\_dashboard’.
- `organization_name` is the internal name (‘cartodb’ vs ‘CartoDB Inc.’) to which the feature flag is to be disabled. For example: ‘cartodb’.

This task is executed like:

```
$ bundle exec rake cartodb:features:disable_feature_for_organization[<feature_flag_  
↪name>,<organization_name` `
```

**Warning:** Please be very careful **NOT** to leave a space between parameters, as it will cause rake to spit a don't know how to build task type error.

And an example to disable the ‘special\_dashboard’ feature for organization ‘cartodb’ could be:

```
$ bundle exec rake cartodb:features:disable_feature_for_organization["special_  
↪dashboard","cartodb"]
```



### 6.3.7 Adding a feature flag

Adding feature flags should be done using the rake task called `add_feature_flag`. This rake task only takes one argument:

- `feature_flag_name` is the name of the feature flag to be created.

This task is executed like:

```
$ bundle exec rake cartodb:features:add_feature_flag[<feature_flag_name>]
```

And an example to create a feature flag named “special\_dashboard” could be:

```
$ bundle exec rake cartodb:features:add_feature_flag["special_dashboard"]
```

### 6.3.8 Removing a feature flag

Removing feature flags should be done using the rake task called `remove_feature_flag`. This rake task only takes one argument:

- `feature_flag_name` is the name of the feature flag to be removed.

This task is executed like:

```
$ bundle exec rake cartodb:features:remove_feature_flag[<feature_flag_name>]
```

And an example to remove a feature flag named “special\_dashboard” could be:

```
$ bundle exec rake cartodb:features:remove_feature_flag["special_dashboard"]
```

### 6.3.9 Listing all feature flags

All existing feature flags can be listed using the rake task called `list_all_features`.

This task is executed like:

```
$ bundle exec rake cartodb:features:list_all_features
```

## 6.4 Changing limits

This section explains how to use rake tasks to change several limits for users.

### 6.4.1 Change user import limits

Using the rake task `set_custom_limits_for_user`, you can change import limits for a given user. The parameters this task takes are:

- `user_name` is the user name of the user for whom these limits will be changed.
- `import_file_size` is the maximum size in **bytes** for a file to be imported.
- `table_row_count` is the maximum number of rows for a file to be imported.
- `concurrent_imports` is the maximum number of concurrent imports that can be handled at once.

This task is executed like:

```
$ bundle exec rake cartodb:set_custom_limits_for_user[<user_name>,<import_file_size>,  
↪<table_row_count>,<concurrent_imports>]
```

and an example execution could be:

```
$ bundle exec rake cartodb:set_custom_limits_for_user["manolo","1048576","50000","5"]
```

### 6.4.2 Increasing Twitter imports limit

Increasing the Twitter imports limit should be done using rake task `increase_limits_for_twitter_import_users`. This rake task takes no parameters. Upon execution, all users with Twitter imports enabled will have **1500MB of file size quota** and a **5M row quota** limit.

## 6.5 Exporting/Importing visualizations

You might be interested in exporting and importing visualizations because of several reasons:

- Backup purposes.
- Moving visualizations between different hosts.
- Moving visualizations between users.
- Using the same visualization with different data.

With `cartodb:viz:export_user_visualization_json` task you can export a visualization to JSON, and with `cartodb:viz:import_user_visualization_json` you can import it. First outputs to stdout and second reads stdin.

This example exports `c54710aa-ad8f-11e5-8046-080027880ca6` visualization.

```
$ bundle exec rake cartodb:viz:export_user_visualization_json['c54710aa-ad8f-11e5-  
↪8046-080027880ca6'] > c54710aa-ad8f-11e5-8046-080027880ca6.json
```

and this imports it into `6950b745-5524-4d8d-9478-98a8a04d84ba` user, who is in another server.

```
$ cat c54710aa-ad8f-11e5-8046-080027880ca6.json | bundle exec rake ↵  
↪cartodb:viz:import_user_visualization_json['6950b745-5524-4d8d-9478-98a8a04d84ba']
```

Please keep in mind the following:

- Exporting has **backup purposes**, so it keeps ids. If you want to use this to replicate a visualization in the same server you can edit the JSON and change the ids. Any valid, distinct UUID will work.
- It **does export neither the tables nor its data**. Destination user should have tables with the same name than the original one for the visualization to work. You can change the table names in the JSON file if names are different.

## 6.6 Exporting/Importing full visualizations

*Disclaimer: this feature is still in beta*

You can export a complete visualization (data, metadata and map) with this command: `bundle exec rake cartodb:vizs:export_full_visualization['5478433b-b791-419c-91d9-d934c56f2053']`

That will generate a `.carto` file that you can import in any CartoDB installation just dropping the file as usual.

## 6.7 Running Sync Tables

If you are working with the **Sync Tables** feature, you must run a rake task to trigger the synchronization of the dataset. This rake retrieves all sync tables that should get synchronized, and puts the synchronization tasks at Resque:

```
bundle exec rake cartodb:sync_tables[true]
```

You might want to set up a cron so that this task is executed periodically in an automated way.

## 6.8 HTTP Header Authentication

With web servers such as NGINX or others you can perform SSO by making the web server add a trusted, safe header to every request sent to CartoDB. Example:

```
User browser - GET http://myorg.mycompany.lan/dashboard -> NGINX (adds 'sso-user-email': 'alice@myorg.com' header) -> CartoDB server
```

You can enable HTTP Header Authentication at CartoDB by adding the following to `app_conf.yml` (taken from `app_conf.yml.sample`):

```
http_header_authentication:
  header: # name of the trusted, safe header that your server adds to the request
  field: # 'email' / 'username' / 'id' / 'auto' (autodetection)
  autocreation: # true / false (true requires field to be email)
```

Configuration for the previous example:

```
http_header_authentication:
  header: 'sso-user-email'
  field: 'email'
  autocreation: false
```

### 6.8.1 Autocreation

Even more, if you want not only *authentication* (authenticating existing users) but also *user creation* you can turn autocreation on by setting `autocreation: true`. If you do so, when a user with the trusted header performs his first request his user will be created automatically. This feature requires that `field` is set to `email`, since the new user will be created with it:

- `email`: value of the header (`alice@myorg.com`).
- `username`: user of the email (`alice`).
- `password`: random. He can change it in his account page.
- `organization`: taken from the subdomain (`myorg`).

## 6.9 Configuring Dataservices

The services provided by the [Dataservices SQL extension](#) can be manually configured for users or organizations through the following rake tasks.

The service configuration is stored in the users and organization metadata tables and reflected in the REDIS configuration database.

### 6.9.1 Service provider

For each basic service class (`geocoder`, `routing`, `isolines`) a provider can be assigned with the tasks:

- `cartodb:services:set_user_provider[username, service, provider]`
- `cartodb:services:set_organization_provider[orgname, service, provider]`

Valid providers are:

- `mapzen` for Mapzen-based third party services (Mapzen Search/Mapzen Mobility)
- `here` for HERE maps third party services (HERE Geocoder/Routing APIs)
- `google` for Google Maps services

#### Examples:

Set geocoder provider for user `user-name` to Mapzen:

```
rake cartodb:services:set_user_provider['user-name', geocoder, mapzen]
```

Set geocoder provider for organization `org-name` to Mapzen:

```
rake cartodb:services:set_organization_provider['org-name', geocoder, mapzen]
```

### 6.9.2 Quotas

Service limits can be established for individual users or organizations in the form of quotas (maximum number of requests per billing period). The next tasks manage the configuration of the quotas.

- `cartodb:services:set_user_quota[username, service, quota]`
- `cartodb:services:set_org_quota[orgname, service, quota]`

Quota values must be non-negative integers.

Valid services are:

- `geocoding` for street-level (hi-res) geocoding services.
- `here_isolines` for general isolines/isochrones zoning services (despite the name, this does not only applies to Here-provided services).
- `obs_snapshot` for Data Observatory *snapshot* services.
- `obs_general` for Data Observatory general services.
- `mapzen_routing` for general routing services (again, not necessarily provided by Mapzen).

**Examples:**

Set geocoding quota for user `user-name` to 1000 monthly requests:

```
rake cartodb:services:set_user_quota['user-name', geocoder, 1000]
```

Set geocoder quota for organization `org-name` to 1000 monthly requests:

```
rake cartodb:services:set_org_quota['org-name', geocoder, 1000]
```

**6.9.3 Soft limits**

The service limits for a user can be configured to be *soft*, meaning that the user can exceed the limits (possibly incurring in additional charges). So, when soft limits is set to *false* (the default) and the limits are exceeded, service requests will fail, while if the soft limits are set to *true* requests will succeed (and the user will be charged for the excess).

- `cartodb:services:set_user_soft_limit[username, service, soft_limit_status]`

The possible values for the soft limits status is either `true` or `false`.

Valid services are, as for the quota configuration:

- `geocoding` for street-level (hi-res) geocoding services.
- `here_isolines` for general isolines/isochrones zoning services (despite the name, this does not only applies to Here-provided services).
- `obs_snapshot` for Data Observatory *snapshot* services.
- `obs_general` for Data Observatory general services.
- `mapzen_routing` for general routing services (again, not necessarily provided by Mapzen).

**Examples:**

Activate soft geocoding limits for user `user-name`:

```
rake cartodb:services:set_user_soft_limit['user-name', geocoder, true]
```

Disable soft geocoding limits for user `user-name`:

```
rake cartodb:services:set_user_soft_limit['user-name', geocoder, false]
```

**6.9.4 User database configuration (from Builder)**

Add the following entry to the `geocoder` entry of the `cartodb/config/app_config.yml` file:

```
api:
  host: 'localhost'
  port: '5432'
  user: 'dataservices_user'
  dbname: 'dataservices_db'
```

In the `cartodb/config/app_config.yml` file, enable the desired dataservices:

```
enabled:
  geocoder_internal: false
  hires_geocoder: false
  isolines: false
  routing: false
  data_observatory: true
```

Execute the rake tasks to update all the users and organizations:

```
bundle exec rake cartodb:db:configure_geocoder_extension_for_organizations['',
true]
```

```
bundle exec rake cartodb:db:configure_geocoder_extension_for_non_org_users['',
true]
```

# CHAPTER 7

---

## Indices and tables

---

- `genindex`
- `modindex`
- `search`